

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	encrypt\$3 with padded with password	US-PGPUB; USPAT	OR	ON	2005/08/05 16:49
S2	0	encrypt\$3 with extend\$3 with password and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 16:49
S3	78	pad\$4 with password and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 16:50
S4	0	pad\$4 with password same encrypt\$3 with ((asymmetric near key) (public near key) (key near pair)) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 16:50
S5	1	pad\$4 with password and encrypt\$3 with ((asymmetric near key) (public near key) (key near pair)) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 16:50
S6	5	pad\$4 with (pass\$word pass\$phrase identifier) and encrypt\$3 with ((asymmetric near key) (public near key) (key near pair)) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 16:51
S7	204	pad\$4 with (pass\$word pass\$phrase identifier) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 16:52
S8	6	pad\$4 with (pass\$word pass\$phrase identifier) same encrypt\$3 and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 16:53
S9	1	(authenticat\$3 authori\$6) with challenge and pad\$4 with (pass\$word pass\$phrase identifier) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 16:54
S10	0	challenge same pad\$4 with (pass\$word pass\$phrase identifier) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 16:55
S11	0	challeng\$3 with (user client) same pad\$4 with (pass\$word pass\$phrase identifier) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 16:55

S12	44	challeng\$3 with (user client) with (pass\$word pass\$phrase identifier) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 16:55
S13	147	challeng\$3 with (user client) with (pass\$word pass\$phrase identifier response) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 16:55
S14	0	challeng\$3 with (user client) with pad\$4 with (pass\$word pass\$phrase identifier response) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 16:56
S15	11	challeng\$3 with (user client) with extend\$3 with (pass\$word pass\$phrase identifier response) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 16:58
S16	147	challeng\$3 with (user client) with (pass\$word pass\$phrase identifier response) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 16:58
S17	2	padded near (pass\$word pass\$phrase identifier response) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 16:58
S18	2	padded near (password pass\$word pass\$phrase identifier response) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 16:58
S19	18	padded with (pass\$word pass\$phrase identifier response) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 16:58
S20	16	padded with (pass\$word pass\$phrase identifier response) and (@ad<"2001113" @prad<"20011113") not S18	US-PGPUB; USPAT	OR	ON	2005/08/05 17:00
S21	1841	pad\$4 with (pass\$word pass\$phrase identifier response) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 17:00
S22	4	(encrypt\$3 hash\$3) with pad\$4 with (pass\$word pass\$phrase identifier response) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 17:01
S23	4476	add\$5 with (filler bits extra) with (pass\$word pass\$phrase identifier response) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 17:02

S24	0	add\$5 with (filler bits extra) with (pass\$word pass\$phrase identifier response) same encrypt\$3 with (pass\$word pass\$phrase identifier response) with ((asymmetric near key) (public near key) (key near pair)) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 17:03
S25	4	add\$5 with (filler bits extra) with (pass\$word pass\$phrase identifier response) and encrypt\$3 with (pass\$word pass\$phrase identifier response) with ((asymmetric near key) (public near key) (key near pair)) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 17:03
S26	4	add\$5 with (filler bits extra) with (pass\$word pass\$phrase identifier response) and encrypt\$3 with (pass\$word pass\$phrase identifier response) with ((asymmetric near key) (public near key) (key near pair)) and (@ad<"2001113" @prad<"20011113") not S22	US-PGPUB; USPAT	OR	ON	2005/08/05 17:04
S27	2	add\$5 with (filler bits extra) with (pass\$word pass\$phrase identifier response) and encrypt\$3 with (pass\$word pass\$phrase identifier response) with ((asymmetric near key) (private near key) (key near pair)) and (@ad<"2001113" @prad<"20011113") not S22	US-PGPUB; USPAT	OR	ON	2005/08/05 17:04
S28	2	add\$5 with (filler bits extra) with (pass\$word pass\$phrase identifier response) and encrypt\$3 with (pass\$word pass\$phrase identifier response) with ((asymmetric near key) (private near key) (key near pair)) and (@ad<"2001113" @prad<"20011113") not S26	US-PGPUB; USPAT	OR	ON	2005/08/05 17:05
S29	31	challenge with string and (@ad<"2001113" @prad<"20011113") not S26	US-PGPUB; USPAT	OR	ON	2005/08/05 17:06
S30	1486307	enrypt\$3 with pass\$word with private adj keyand (@ad<"2001113" @prad<"20011113") not S26	US-PGPUB; USPAT	OR	ON	2005/08/05 17:06
S31	0	enrypt\$3 with pass\$word with private adj key and (@ad<"2001113" @prad<"20011113") not S26	US-PGPUB; USPAT	OR	ON	2005/08/05 17:07

S32	57	pass\$word with private adj key and (@ad<"2001113" @prad<"2001113") not S26	US-PGPUB; USPAT	OR	ON	2005/08/05 17:07
S33	57	pass\$word with private adj key and (@ad<"2001113" @prad<"2001113")	US-PGPUB; USPAT	OR	ON	2005/08/05 17:13
S34	291	challenge with (client user) and (@ad<"2001113" @prad<"2001113")	US-PGPUB; USPAT	OR	ON	2005/08/05 17:13
S35	80	challenge with (client user) and (pad\$4 add\$5) with (pass\$word pass\$phrase response) and (@ad<"2001113" @prad<"2001113")	US-PGPUB; USPAT	OR	ON	2005/08/05 17:14
S36	3	challenge with (client user) and (pad\$4 add\$5) with (pass\$word pass\$phrase response) and (encrypt\$3) with private adj key with (pass\$word pass\$phrase response) and (@ad<"2001113" @prad<"2001113")	US-PGPUB; USPAT	OR	ON	2005/08/05 17:15
S37	12	challenge with (client user) same (pad\$4 add\$5) with (pass\$word pass\$phrase response) and (@ad<"2001113" @prad<"2001113")	US-PGPUB; USPAT	OR	ON	2005/08/05 17:20
S38	29	challenge with (client user) same encrypt\$3 with (pass\$word pass\$phrase response) and (@ad<"2001113" @prad<"2001113")	US-PGPUB; USPAT	OR	ON	2005/08/05 17:21
S39	3	challenge with (client user) same encrypt\$3 with (pass\$word pass\$phrase response) with ((private adj key) (asymmetric adj key)) and (@ad<"2001113" @prad<"2001113")	US-PGPUB; USPAT	OR	ON	2005/08/05 17:23
S40	3	challenge with (client user) same encrypt\$3 with (response) with ((private adj key) (asymmetric adj key)) and (@ad<"2001113" @prad<"2001113")	US-PGPUB; USPAT	OR	ON	2005/08/05 17:24
S41	6	challenge with (client user) and encrypt\$3 with (response) with ((private adj key) (asymmetric adj key)) and (@ad<"2001113" @prad<"2001113")	US-PGPUB; USPAT	OR	ON	2005/08/05 17:24

S42	3	challenge with (client user) and encrypt\$3 with (response) with ((private adj key) (asymmetric adj key)) and (@ad<"2001113" @prad<"2001113") not S40	US-PGPUB; USPAT	OR	ON	2005/08/05 17:25
S43	35	encrypt\$3 with (response) with ((private adj key) (asymmetric adj key)) and (@ad<"2001113" @prad<"2001113") not S40	US-PGPUB; USPAT	OR	ON	2005/08/05 17:25
S44	32	encrypt\$3 with (response) with ((private adj key) (asymmetric adj key)) and (@ad<"2001113" @prad<"2001113") not S41	US-PGPUB; USPAT	OR	ON	2005/08/05 17:29
S45	19	encrypt\$3 with (pass\$word) with ((private adj key) (asymmetric adj key)) and (@ad<"2001113" @prad<"2001113") not S41	US-PGPUB; USPAT	OR	ON	2005/08/05 17:32
S46	19	encrypt\$3 with (pass\$word) with ((private adj key) (asymmetric adj key)) and (@ad<"2001113" @prad<"2001113")	US-PGPUB; USPAT	OR	ON	2005/08/05 17:33
S47	42	encrypt\$3 with (pass\$word pass\$phrase identifier) with ((private adj key) (asymmetric adj key)) and (@ad<"2001113" @prad<"2001113")	US-PGPUB; USPAT	OR	ON	2005/08/05 17:33
S48	23	encrypt\$3 with (pass\$word pass\$phrase identifier) with ((private adj key) (asymmetric adj key)) and (@ad<"2001113" @prad<"2001113") not S46	US-PGPUB; USPAT	OR	ON	2005/08/05 17:39
S49	156	challenge with handshake and (@ad<"2001113" @prad<"2001113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 17:38
S50	145	challenge with handshake with protocol and (@ad<"2001113" @prad<"2001113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 17:39
S51	199	encrypt\$3 with (user\$name user log\$2n pass\$word pass\$phrase identifier) with ((private adj key) (asymmetric adj key)) and (@ad<"2001113" @prad<"2001113") not S46	US-PGPUB; USPAT	OR	ON	2005/08/05 17:39

S52	0	encrypt\$3 with (user\$name user log\$2n pass\$word pass\$phrase identifier) with ((private adj key) (asymmetric adj key)) same pad\$4 with (user\$name user log\$2n pass\$word pass\$phrase identifier) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 17:40
S53	3	encrypt\$3 with (user\$name user log\$2n pass\$word pass\$phrase identifier) with ((private adj key) (asymmetric adj key)) and pad\$4 with (user\$name user log\$2n pass\$word pass\$phrase identifier) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 17:40
S54	1	pad\$4 near password and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 17:41
S55	78	pad\$4 with password and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 17:41
S56	3	(user client) with (authenticat\$3 authori\$6 verif\$7) same pad\$4 with password and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 17:42
S57	3	(user client) with (authenticat\$3 authori\$6 verif\$7) same pad\$4 with pass\$word and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 17:42
S58	0	(user client) with (authenticat\$3 authori\$6 verif\$7) same pad\$4 with pass\$phrase and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 17:42
S59	1	(user client) with (authenticat\$3 authori\$6 verif\$7) same pad\$4 with response and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 17:43
S60	26	(user client) with (authenticat\$3 authori\$6 verif\$7) and pad\$4 with (pass\$word pass\$phrase) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 17:43
S61	23	(user client) with (authenticat\$3 authori\$6 verif\$7) and pad\$4 with (pass\$word pass\$phrase) and (@ad<"2001113" @prad<"20011113") not S57	US-PGPUB; USPAT	OR	ON	2005/08/05 17:49

S62	15	(user client) with (authenticat\$3 authori\$6 verif\$7) and encrypt\$3 with (pass\$word pass\$phrase) with private near key and (@ad<"2001113" @prad<"20011113") not S57	US-PGPUB; USPAT	OR	ON	2005/08/05 17:51
S63	126	(user client) with (authenticat\$3 authori\$6 verif\$7) same encrypt\$3 with private near key and (@ad<"2001113" @prad<"20011113") not S57	US-PGPUB; USPAT	OR	ON	2005/08/05 18:03
S64	55	server with challeng\$3 with (user client) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 18:21
S65	2	(padding padded) near5 (pass\$word pass\$phrase) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 18:22
S66	77	(padding padded pad) with (pass\$word pass\$phrase) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 18:22
S67	2	(padding padded) with (pass\$word pass\$phrase) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 18:22
S68	3	(add extra) with bits with (pass\$word pass\$phrase) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 18:27
S69	2	(add extra) with string with (pass\$word pass\$phrase) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 18:27
S70	2	(add extra) with string with (pass\$word pass\$phrase) and (@ad<"2001113" @prad<"20011113") not S68	US-PGPUB; USPAT	OR	ON	2005/08/05 18:27
S71	1971	(add\$5 padding padded) with (pass\$word pass\$phrase) and (@ad<"2001113" @prad<"20011113") not S68	US-PGPUB; USPAT	OR	ON	2005/08/05 18:28
S72	95	(adding padding padded extending) with (pass\$word pass\$phrase) and (@ad<"2001113" @prad<"20011113") not S68	US-PGPUB; USPAT	OR	ON	2005/08/05 18:29

S73	39	(adding padding padded extending) with (information string bit character) with (pass\$word pass\$phrase) and (@ad<"2001113" @prad<"20011113") not S68	US-PGPUB; USPAT	OR	ON	2005/08/05 18:36
S74	3	encrypt\$3 with padded with (information data file) and (@ad<"2001113" @prad<"20011113") not S68	US-PGPUB; USPAT	OR	ON	2005/08/05 18:36
S75	3	encrypt\$3 with padded with (information data file) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 18:40
S76	38	encod\$3 with padded with (information data file) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 18:41
S77	9	encrypt\$3 same padded with (information data file) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 18:42
S78	6	encrypt\$3 same padded with (information data file) and (@ad<"2001113" @prad<"20011113") not S75	US-PGPUB; USPAT	OR	ON	2005/08/05 18:43
S79	6	encrypt\$3 same padded with (info\$7 data file) and (@ad<"2001113" @prad<"20011113") not S75	US-PGPUB; USPAT	OR	ON	2005/08/05 18:43
S80	34	encrypt\$3 with pad\$4 with (info\$7 data file) and (@ad<"2001113" @prad<"20011113") not S75	US-PGPUB; USPAT	OR	ON	2005/08/05 19:04
S81	0	encrypt\$3 with pad\$4 with (strengthen stronger help) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 18:49
S82	0	hash\$3 with pad\$4 with (pass\$word pass\$phrase) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 19:04
S83	88	hash\$3 with (pass\$word pass\$phrase) and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 19:04
S84	1486311	hash\$3 with (pass\$word pass\$phrase) same encrypt\$3and (@ad<"2001113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 19:05

S85	39	hash\$3 with (pass\$word pass\$phrase) same encrypt\$3 and (@ad<"20011113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 19:10
S86	0	hash\$3 with (pass\$word pass\$phrase) with before with encrypt\$3 and (@ad<"20011113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 19:05
S87	15	one\$way with (pass\$word pass\$phrase) same encrypt\$3 and (@ad<"20011113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2005/08/05 19:10
S88	10	one\$way with (pass\$word pass\$phrase) same encrypt\$3 and (@ad<"20011113" @prad<"20011113") not S85	US-PGPUB; USPAT	OR	ON	2005/08/05 19:10
S89	17	laforgia.xa. "la forgia".xa.	US-PGPUB; USPAT	OR	ON	2005/08/08 16:17
S90	5403	(pad\$4 add\$5) with data with encrypt\$3	US-PGPUB; USPAT	OR	ON	2006/01/19 18:15
S91	1132	(pad\$4 add\$5) with data with encrypt\$3 and @pd<"20011113"	US-PGPUB; USPAT	OR	ON	2006/01/19 18:15
S92	22	(pad\$4 add\$5) with challenge with encrypt\$3 and @pd<"20011113"	US-PGPUB; USPAT	OR	ON	2006/01/19 18:24
S93	0	encrypt\$3 with (pad\$4) with (stronger better tougher) and @pd<"20011113"	US-PGPUB; USPAT	OR	ON	2006/01/19 18:26
S94	1	encrypt\$3 with (pad\$4) with (stronger better tougher) and (@ad<"20011113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2006/01/19 18:35
S95	3	(pad\$4) same encrypt\$3 with (stronger better tougher) and (@ad<"20011113" @prad<"20011113")	US-PGPUB; USPAT	OR	ON	2006/01/19 18:35